

Safety Data Sheet

Page 1 of 6 Issue date: JULY 2014

Classified as Hazardous according to criteria of Worksafe Australia

Graffiti EzyWipes

1. IDENTIFICATION OF THE MATERIAL & SUPPLIER

Product Name: Graffiti EzyWipes

Synonym: EzyClean Blue Graffiti Remover

Use: Graffiti Remover

Graffiti Removal Systems Pty Ltd

2/49 Webber Parade Keilor East Victoria 3033

Tel: (61) 1300 59 77 80

Fax: (61 3) 5146 0432

Email: sales@grchemicals.com.au

Website: www.graffitiremovalchemicals.com.au

A.C.N. 079 733 163

A.B.N. 48 079 733 163

Emergency Advice All Hours:

A.H. Emergency No (03) 9799 9833 Technical Manager

2. HAZARD IDENTIFICATION

Hazardous according to criteria of NOHSC/ASCC

HAZARDOUS ACCORDING TO EU CRITERIA

Hazard Category: Harmful (Xn), Irritant (Xi)

Hazard Classification: HAZARDOUS SUBSTANCE, DANGEROUS GOOD

RISK PHRASES

R11 Flammable

R20/22 Harmful by inhalation and if swallowed.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R53 May cause long term adverse effects in the aquatic environment.

SAFETY PHRASES

S2 Keep out of reach of children.

S7 Keep container tightly closed.

S16 Keep away from sources of ignition - No smoking.

S24 Avoid contact with skin.

S26 In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S60 This material and/or its container must be disposed of as hazardous waste.

S61 Avoid release to the environment. Refer to special instructions/safety data sheet.

Poison Schedule: None allocated.

Warning Statement:

None indicated

3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE NAME	Proportion	CAS Number
ETHYL ALCOHOL	10 to 30%	64-17-5
BENZYL ALCOHOL	10 to 30%	100-51-6
d-LIMONENE	10 to 30%	5989-27-5

Safety Data Sheet

Page 2 of 6 Issue date: JULY 2014

Classified as Hazardous according to criteria of Worksafe Australia

Graffiti EzyWipes

WATER AND OTHER NON-HAZARDOUS SUBSTANCES 1 to 10% Mixture
All other ingredients not hazardous according to EU Criteria.

4. FIRST AID MEASURES

Swallowed:

If swallowed, DO NOT induce vomiting. Give 3 to 4 glasses of water to drink. Seek urgent medical assistance.

Eye:

If material is splashed into eyes, flush with plenty of water for at least 15 minutes, ensuring eye lids are held open. Immediately transport to hospital or doctor.

Skin:

If material is splashed onto the skin, remove any contaminated clothing and wash skin thoroughly with soap and water. If irritation persists immediately transport to hospital or doctor.

Inhaled:

Remove victim to fresh air. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is difficult.

Advice to Doctor:

Treat symptomatically.

In case of poisoning, contact Poisons Information Centre

In Australia call Tel: 131126

In New Zealand Tel: 034747000

5. FIRE-FIGHTING MEASURES

Fire/Explosion Hazard

EXTINGUISHING MEDIA: Use dry chemical, carbon dioxide or foam.

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus (SCBA) required for fire-fighting personnel. If possible to do so safely, shut off fuel to fire. Use water spray to spray to cool fire-exposed surfaces and to protect personnel. Avoid spreading burning liquid with water used for cooling fire exposed containers when using water spray, boil-over may occur when the product temperature reaches the boiling point of water.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapours from this product may travel or be moved by air currents and be ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharge or other ignition sources at locations distant from the point of handling.

HAZCHEM CODE: 3[Y] [Aust]

FLAMMABILITY

Flammable liquid. Avoid all sources of ignition, heat and naked flames.

6. ACCIDENTAL RELEASE MEASURES

EMERGENCY ACTION:

Keep unnecessary people away; Isolate hazard area and deny entry. Stay upwind; Keep out of low areas. Do not walk or touch spilt material unless wearing personal protection as outlined under MSDS.

SPILL OR LEAK PROCEDURE:

Shut off ignition sources, no flares, smoking or flames in hazard area. Stop leak if you can do it without risk. Water spray may reduce vapour; but it may not prevent ignition in closed spaces.

SMALL SPILLS:

Take up with sand, dirt or vermiculite. DO NOT use sawdust. Use non-sparking tools or HEPA vacuum system. Place into labelled drum(s) for later disposal.

LARGE SPILLS:

Notify Emergency Services (Police or Fire Brigade). Tell them exact location, nature, hazards, quantities, type of vehicle and any other information that would be helpful. Contain spill. Remove all ignition sources and safely stop flow of spill. Bund area. Trained personnel should wear Personal Protective equipment as highlighted in this MSDS. Blanket the spill with foam or use water fog to disperse vapour clouds. Consult an expert regarding disposal of this product.

Safety Data Sheet

Page 3 of 6 Issue date: JULY 2014
Classified as Hazardous according to criteria of Worksafe Australia
Graffiti EzyWipes

7. HANDLING AND STORAGE

Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition, strong alkalis, acids, combustibles and oxidizing agents. All equipment must be earthed. Store in original packages as approved by manufacturer. For further information please refer to the Engineering Controls of this MSDS.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards

No exposure standards are available for this product, however, the following exposure standards have been assigned by [NOHSC] to the following components of the product:

ETHYL ALCOHOL

(Worksafe Australia)

[TWA]1,000 ppm 1,880 mg/m³

References: H

Mutagenic Category: National Occupational Exposure Standard (NES), Safe Work Australia (formerly ASCC/NOHSC)

(ACGIH)

[TWA]1,000 ppm 1,880 mg/m³

BENZYL ALCOHOL

No exposure standards have been assigned by the National Occupational Health & Safety Commission (NOHSC)

d-LIMONENE

No exposure standards have been assigned by the National Occupational Health & Safety Commission (NOHSC)

WATER AND OTHER NON-HAZARDOUS SUBSTANCES

No Exposure details available

Engineering Controls

Flammable liquid. Maintain adequate ventilation at all times. Prevent accumulation of vapours in hollows or sumps. Eliminate any sources of ignition. Elevated temperature or mechanical action may form vapours, mists or fumes which may require local exhaust ventilation systems.

Personal Protection Equipment

CLOTHING: PVC or rubber apron.

GLOVES: PVC or rubber.

EYES: Chemical goggles or faceshield to protect eyes.

RESPIRATORY PROTECTION: Avoid breathing of vapours/gases. Select and use respirators in accordance with AS/NZS 1715/1716. When vapours/gases exceed the exposure standards then the use of a half-face respirator with organic vapour cartridge is recommended. For high concentration use an atmosphere-supplied, positive pressure demand self-contained or airline breathing apparatus, complying with the requirements of AS/NZS 1715 is recommended. Filter capacity and respirator type depends on exposure levels and type of contaminant.

If entering spaces where the airborne concentration of a contaminant is unknown then the use of a Self-contained breathing apparatus (SCBA) with positive pressure air supply complying with AS/NZS 1715 / 1716, or any other acceptable International Standard is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pink Liquid
Boiling Point Melting Point:	>80 degrees celcius
Vapour Pressure:	Not Availible
Specific Gravity:	0.87-0.89
Flash Point:	29 degrees celcius
Flammability Limits:	>363 degrees celcius

Safety Data Sheet

Page 4 of 6 Issue date: JULY 2014

Classified as Hazardous according to criteria of Worksafe Australia

Graffiti EzyWipes

Solubility in Water: Water washable but not soluble

Other Properties:

10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions of use.

HAZARDOUS DECOMPOSITION PRODUCTS:

Emits oxides of carbon when heated to decomposition.

HAZARDOUS POLYMERIZATION:

Will not occur.

INCOMPATIBILITIES:

Chlorates, perchlorates, chromates, dichromates, nitrates and other oxidizing agents.

CONDITIONS TO AVOID:

Heat, flames, ignition sources and incompatibles.

11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

ACUTE HEALTH EFFECTS:

Swallowed:

Harmful if swallowed.

May cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea.

Eye:

May cause irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision. These effects are anticipated to be of a short acting nature and no long term injury is anticipated, if the product is removed promptly.

Skin:

Will cause irritation to the skin, with effects including: Redness, itchiness, and drying/defatting.

Inhaled:

Harmful if inhaled.

Mists from the product may cause irritation to the nose, throat and respiratory system with effects including: Dizziness and headache.

Chronic:

Prolonged or repeated skin contact may lead to dermatitis.

Prolonged or repeated exposure may lead to irreversible damage to health.

Prolonged or repeated contact with this substance will cause sensitisation by skin contact.

Toxicological Data:

There is no other toxicological information available for this product.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

No Data available

Mobility:

No Data available

Persistence / Degradability:

Safety Data Sheet

Page 5 of 6 Issue date: JULY 2014

Classified as Hazardous according to criteria of Worksafe Australia

Graffiti EzyWipes

No Data available

Chemical Fate Information:

No Data available

This substance may cause long term adverse effects in the aquatic environment.

This substance may cause long term adverse effects in the environment

13. DISPOSAL CONSIDERATIONS

Refer to appropriate authority in your State. Dispose of material through a licensed waste contractor. Advise toxic and/or corrosive nature if applicable. Normally suitable for disposal by approved waste disposal agent.

14. TRANSPORT INFORMATION

Road Transport

UN Number: 1993

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

Dangerous Goods Class: 3

Packing Group: III

Label: Harmful (Xn), Irritant (Xi)

Air Transport

UN Number: 1993

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

Dangerous Goods Class: 3

Packing Group: III

Label: Harmful (Xn), Irritant (Xi)

Sea Transport

UN Number: 1993

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

Dangerous Goods Class: 3

Packing Group: III

Label: Harmful (Xn), Irritant (Xi)

HAZCHEM CODE: 3[Y] [Aust]

Classified as a CLASS 3 (FLAMMABLE LIQUID) Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail, 6th Edition.

Dangerous goods of Class 3 (Flammable Liquid) are incompatible in a placard load with any of the following:

- Class 1
- Class 2.1, if both the Class 3 and Class 2.1 dangerous goods are in bulk
- Class 2.3
- Class 4.2
- Class 5
- Class 6, if the Class 3 dangerous goods are nitromethane
- Class 7

Emergency information(Transport):

Dangerous Goods - Initial Emergency Response Guide (SAA/SNZ HB76:1997)

For LIQUIDS - Liquids flammable, Guide No: 15

15. REGULATORY INFORMATION

Poison Schedule: None allocated

EPG: Guide No: 15

Inventory Status:

Safety Data Sheet

Page 6 of 6 Issue date: JULY 2014

Classified as Hazardous according to criteria of Worksafe Australia

Graffiti EzyWipes

<i>Inventory</i>	<i>Status</i>
Australia (AICS)	Y
United States (TSCA)	Y
Canada (DSL)	Y
Europe (EINECS/ELINCS)	Y
Japan (MITI)	Y
South Korea (KECL)	Y

Y = all ingredients are on the inventory.

16. OTHER INFORMATION

Date of Preparation: JULY 2013

Issue date: JULY 2013

Supersedes: Not applicable

Reasons for Update: Not applicable

Key Legend Information:

NOHSC - National Occupational Health & Safety Commission {Formerly Worksafe}[Aust]

SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons [Aust]

TWA - Time Weighted Average [Int]

STEL - Short Term Exposure Limit [Int]

AICS - Australian Inventory of Chemical Substances

EPA - Environmental Protection Agency [Int]

NIOSH - National Institute for Occupational Safety and Health [US]

AS/NZS 1715 - Selection, use and maintenance of respiratory protective devices. [Aust/NZ]

AS/NZS 1716 - Respiratory protective devices. [Aust/NZ]

IATA - International Aviation Transport Authority [Int]

ICAO - International Civil Aviation Organization [Int]

IMO - International Maritime Organisation. [Int]

IMDG - International Maritime Dangerous Goods [Int]

United Nations Recommendations for the Transport of Dangerous Goods and Globally Harmonized System for the classification and labelling of Chemicals. [Int]

EU - European Union

[Aust/NZ] = Australian New Zealand

[Int] = International

[US] = United States of America

Removal of the heading of *Poison Schedule [Aust]*, in section 3 and 15 of this Safety Data Sheet (SDS) makes this a valid health and safety document in other international jurisdictions/countries. For full compliance please contact your Federal, State or Local regulators for further information.

Disclaimer

This SDS summarises our best knowledge of the health and safety hazard information available on the product and the measures to be used to handle and use the product safely. Each user should read this SDS and consider the information in connection with the way the product is intended to be handled or used.

Principal References:

Information supplied by manufacturer, reference sources including the public domain.

END OF SDS